Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2006

Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Risk- Adjusted Mortality Rate (%, RAMR)	95% CI for RAMR	Performance Rating*
State of California		19,914	15,647	347	2.22				
Sacramento Valley & Northern California Region	Enloe Medical Center	233	173	5	2.89	3.72	1.72	(0.56, 4.02)	
	Mercy General Hospital	932	628	4	0.64	1.70	0.83	(0.23, 2.12)	Better
	Mercy Medical Center - Redding	206	171	5	2.92	3.54	1.83	(0.59, 4.28)	
	Mercy San Juan Hospital	112	79	1	1.27	2.08	1.35	(0.03, 7.53)	
	Rideout Memorial Hospital	165	116	3	2.59	3.23	1.78	(0.37, 5.20)	
	Shasta Regional Medical Center	89	78	2	2.56	3.18	1.79	(0.22, 6.46)	
	St. Joseph Hospital - Eureka	57	49	1	2.04	1.57	2.89	(0.07, 16.11)	
	Sutter Memorial Hospital	468	338	7	2.07	2.61	1.76	(0.71, 3.63)	
	UC Davis Medical Center	196	125	1	0.80	2.07	0.86	(0.02, 4.77)	
San Francisco Bay Area & San Jose	Alta Bates Summit Medical Center - Summit Campus	766	604	13	2.15	2.35	2.03	(1.08, 3.47)	
	California Pacific Medical Center - Pacific Campus	112	85	3	3.53	2.52	3.11	(0.64, 9.08)	
	Doctors Medical Center - San Pablo Campus	19	17	1	5.88	2.55	5.11	(0.13, 28.51)	
	Dominican Hospital	96	80	1	1.25	2.71	1.02	(0.03, 5.71)	
	El Camino Hospital	83	59	0	0.00	1.61	0.00	(0.00, 8.62)	

^{*}A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (2.22). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2006

Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Risk- Adjusted Mortality Rate (%, RAMR)	95% CI for RAMR	Performance Rating*
State of California		19,914	15,647	347	2.22				
	Good Samaritan Hospital - San Jose	183	144	4	2.78	3.13	1.97	(0.54, 5.04)	
	John Muir Medical Center - Concord Campus	239	200	4	2.00	2.12	2.09	(0.57, 5.35)	
	John Muir Medical Center - Walnut Creek Campus	2	2	1	50.00	48.42	2.29	(0.06, 12.77)	
	Kaiser Foundation Hospital (Geary San Francisco)	677	501	3	0.60	1.88	0.71	(0.15, 2.06)	Better
	Marin General Hospital	70	57	1	1.75	2.79	1.39	(0.04, 7.76)	
	O'Connor Hospital	86	72	1	1.39	2.00	1.54	(0.04, 8.59)	
	Peninsula Medical Center	27	20	0	0.00	3.06	0.00	(0.00, 13.39)	
	Queen of the Valley Hospital	250	219	7	3.20	3.46	2.05	(0.82, 4.22)	
	Regional Medical of San Jose	18	17	0	0.00	2.43	0.00	(0.00, 19.81)	
	Salinas Valley Memorial Hospital	141	109	2	1.83	2.17	1.87	(0.23, 6.78)	
	San Ramon Regional Medical Center	70	59	0	0.00	1.98	0.00	(0.00, 7.00)	
	Santa Clara Valley Medical Center	49	44	1	2.27	1.78	2.84	(0.07, 15.82)	
	Santa Rosa Memorial Hospital	61	47	0	0.00	1.96	0.00	(0.00, 8.91)	
	Sequoia Hospital	292	167	2	1.20	2.15	1.24	(0.15, 4.47)	

^{*}A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (2.22). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2006

Region	Hospital	All CABG Cases	Isolated CABG	Isolated CABG	Observed Mortality	Expected Mortality	Risk- Adjusted Mortality	95% CI for RAMR	Performance Rating*
			Cases	Deaths	Rate (%)	Rate (%)	Rate (%, RAMR)		
State of California		19,914	15,647	347	2.22				
	Seton Medical Center	242	212	6	2.83	2.78	2.26	(0.83, 4.92)	
	St. Helena Hospital	100	91	4	4.40	3.46	2.81	(0.77, 7.21)	
	St. Mary's Medical Center, San Francisco	41	31	2	6.45	3.56	4.02	(0.49, 14.52)	
	Stanford University Hospital	193	131	2	1.53	2.53	1.34	(0.16, 4.84)	
	Sutter Medical Center of Santa Rosa	143	100	2	2.00	2.02	2.20	(0.27, 7.95)	
	UCSF Medical Center	156	132	2	1.52	2.61	1.29	(0.16, 4.65)	
	Valleycare Medical Center	17	15	1	6.67	9.01	1.64	(0.04, 9.15)	
	Washington Hospital – Fremont**	139	115	5	4.35	2.06	4.68	(1.52, 10.93)	
Central California	Bakersfield Heart Hospital	221	179	7	3.91	2.09	4.14	(1.67, 8.54)	
	Bakersfield Memorial Hospital	167	140	3	2.14	1.61	2.95	(0.61, 8.62)	
	Community Medical Center - Fresno	174	146	4	2.74	4.04	1.50	(0.41, 3.86)	
	Dameron Hospital	39	35	2	5.71	1.76	7.20	(0.87, 26.03)	
	Doctors Medical Center - Modesto Campus	363	292	1	0.34	2.12	0.36	(0.01, 2.00)	Better
	Fresno Heart Hospital	209	163	3	1.84	2.14	1.90	(0.39, 5.57)	

^{*}A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (2.22). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

^{**} Appendix A includes this hospital's statement regarding the report.

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2006

Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Risk- Adjusted Mortality Rate (%, RAMR)	95% CI for RAMR	Performance Rating*
State of California		19,914	15,647	347	2.22				
	Kaweah Delta Hospital	283	240	6	2.50	2.56	2.16	(0.80, 4.72)	
	Marian Medical Center	109	93	4	4.30	2.98	3.20	(0.87, 8.19)	
	Memorial Medical Center of Modesto	316	253	9	3.56	2.63	3.00	(1.37, 5.70)	
	San Joaquin Community Hospital	71	67	5	7.46	2.10	7.87	(2.56, 18.38)	Worse
	St. Agnes Medical Center	396	345	5	1.45	2.15	1.50	(0.49, 3.50)	
	St. Joseph's Medical Center of Stockton	245	211	9	4.27	2.49	3.81	(1.74, 7.23)	
San Fernando Valley, Antelope Valley,	Antelope Valley Hospital Medical Center	46	41	1	2.44	1.32	4.09	(0.10, 22.83)	
Ventura & Santa Barbara	Community Memorial Hospital of San Buenaventura	119	100	1	1.00	3.36	0.66	(0.02, 3.68)	
	Encino Tarzana Regional Medical Center - Tarzana	111	90	1	1.11	2.48	0.99	(0.03, 5.54)	
	French Hospital Medical Center	125	87	1	1.15	1.78	1.43	(0.04, 7.98)	
	Glendale Adventist Medical Center - Wilson Terrace	141	122	2	1.64	2.40	1.51	(0.18, 5.47)	
	Glendale Memorial Hospital and Health Center	146	120	1	0.83	3.00	0.62	(0.02, 3.43)	
	Lancaster Community Hospital	6	6	0	0.00	2.93	0.00	(0.00, 46.59)	
	Los Robles Regional Medical Center	130	101	1	0.99	3.88	0.57	(0.01, 3.16)	

^{*}A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (2.22). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

^{**} Appendix A includes this hospital's statement regarding the report.

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2006

Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Risk- Adjusted Mortality Rate (%, RAMR)	95% CI for RAMR	Performance Rating*
State of California		19,914	15,647	347	2.22		·		
	Northridge Hospital Medical Center	118	91	5	5.49	3.68	3.31	(1.08, 7.74)	
	Providence Holy Cross Medical Center	101	78	1	1.28	2.60	1.09	(0.03, 6.10)	
	Providence St. Joseph Medical Center	59	42	0	0.00	1.85	0.00	(0.00, 10.55)	
	Santa Barbara Cottage Hospital	214	155	4	2.58	3.53	1.62	(0.44, 4.16)	
	Sierra Vista Regional Medical Center	36	28	3	10.71	6.57	3.62	(0.75, 10.58)	
	St. John's Regional Medical Center	134	106	2	1.89	4.14	1.01	(0.12, 3.66)	
	Valley Presbyterian Hospital	34	32	2	6.25	1.33	10.38	(1.26, 37.55)	
	West Hills Regional Medical Center	50	44	2	4.55	3.01	3.35	(0.41, 12.11)	
Greater Los Angeles	Beverly Hospital	28	26	1	3.85	2.53	3.37	(0.09, 18.80)	
	Brotman Medical Center	5	4	0	0.00	4.78	0.00	(0.00, 42.79)	
	Cedars Sinai Medical Center	256	162	5	3.09	2.42	2.83	(0.92, 6.62)	
	Centinela Hospital Medical Center	97	82	1	1.22	2.42	1.12	(0.03, 6.23)	
	Citrus Valley Medical Center – IC Campus	87	64	1	1.56	3.12	1.11	(0.03, 6.19)	
	Downey Regional Medical Center	92	83	3	3.61	1.87	4.28	(0.88, 12.52)	

^{*}A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (2.22). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2006

Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Risk- Adjusted Mortality Rate (%, RAMR)	95% CI for RAMR	Performance Rating*
State of California		19,914	15,647	347	2.22		,		
	Garfield Medical Center	124	94	1	1.06	3.78	0.62	(0.02, 3.48)	
	Good Samaritan Hospital - Los Angeles	181	149	5	3.36	4.55	1.63	(0.53, 3.82)	
	Huntington Memorial Hospital	116	87	0	0.00	3.46	0.00	(0.00, 2.72)	
	Kaiser Foundation Hospital (Sunset)	994	819	12	1.47	2.59	1.25	(0.65, 2.19)	Better
	Lakewood Regional Medical Center	104	90	4	4.44	2.47	3.99	(1.09, 10.22)	
	Little Company of Mary Hospital	68	47	3	6.38	3.48	4.07	(0.84, 11.90)	
	Long Beach Memorial Medical Center	313	261	10	3.83	1.96	4.34	(2.08, 7.99)	
	Los Angeles Co. Harbor - UCLA Medical Center	109	98	4	4.08	2.35	3.85	(1.05, 9.86)	
	Los Angeles Co. USC Medical Center**	97	78	1	1.28	1.36	2.09	(0.05, 11.67)	
	Methodist Hospital of Southern California	98	84	0	0.00	2.27	0.00	(0.00, 4.30)	
	Presbyterian Intercommunity Hospital	128	103	0	0.00	2.95	0.00	(0.00, 2.69)	
	Santa Monica - UCLA Medical Center	27	19	0	0.00	1.82	0.00	(0.00, 23.69)	
	St. Francis Medical Center	48	46	1	2.17	2.36	2.04	(0.05, 11.41)	
	St. John's Hospital and Health Center	112	86	2	2.33	2.66	1.94	(0.24, 7.01)	

^{*}A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (2.22). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

^{**} Appendix A includes this hospital's statement regarding the report.

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2006

· · · · · · · · · · · · · · · · · · ·			-				Risk-		
Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Adjusted Mortality Rate (%, RAMR)	95% CI for RAMR	Performance Rating*
State of California		19,914	15,647	347	2.22				
	St. Mary Medical Center	64	56	0	0.00	5.11	0.00	(0.00, 2.86)	
	St. Vincent Medical Center	130	116	2	1.72	3.22	1.19	(0.14, 4.29)	
	Torrance Memorial Medical Center**	140	81	2	2.47	2.28	2.40	(0.29, 8.67)	
	UCLA Medical Center	147	72	1	1.39	2.94	1.05	(0.03, 5.85)	
	USC University Hospital**	163	89	0	0.00	2.65	0.00	(0.00, 3.47)	
	White Memorial Medical Center	84	78	1	1.28	2.86	1.00	(0.03, 5.55)	
Inland Empire, Riverside & San	Desert Regional Medical Center	197	166	7	4.22	3.26	2.86	(1.15, 5.91)	
Bernardino	Eisenhower Memorial Hospital	269	212	7	3.30	2.72	2.69	(1.08, 5.54)	
	Loma Linda University Medical Center	373	286	6	2.10	2.62	1.78	(0.65, 3.87)	
	Pomona Valley Hospital Medical Center	195	184	1	0.54	3.14	0.38	(0.01, 2.14)	Better
	Riverside Community Hospital	207	180	4	2.22	3.01	1.64	(0.45, 4.19)	
	San Antonio Community Hospital	146	130	6	4.62	4.09	2.50	(0.92, 5.45)	
	St. Bernardine Medical Center	476	414	10	2.42	2.57	2.08	(1.00, 3.83)	
	St. Mary Regional Medical Center	185	151	8	5.30	4.01	2.93	(1.27, 5.78)	

^{*}A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (2.22). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

^{**} Appendix A includes this hospital's statement regarding the report.

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2006

Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Risk- Adjusted Mortality Rate (%, RAMR)	95% CI for RAMR	Performance Rating*
State of California		19,914	15,647	347	2.22				
Orange County	Anaheim Memorial Medical Center	208	188	4	2.13	2.87	1.64	(0.45, 4.21)	
	Fountain Valley Regional Hospital	98	91	3	3.30	3.70	1.98	(0.41, 5.78)	
	Hoag Memorial Hospital Presbyterian	237	151	1	0.66	2.03	0.72	(0.02, 4.04)	
	Irvine Regional Hospital and Medical Center	33	28	0	0.00	2.32	0.00	(0.00, 12.59)	
	Mission Hospital Regional Medical Center	157	140	2	1.43	2.42	1.31	(0.16, 4.74)	
	Saddleback Memorial Medical Center	142	117	2	1.71	1.83	2.07	(0.25, 7.48)	
	St. Joseph Hospital - Orange	161	115	3	2.61	1.87	3.09	(0.64, 9.05)	
	St. Jude Medical Center	173	143	3	2.10	1.74	2.68	(0.55, 7.83)	
	UC Irvine Medical Center	62	53	0	0.00	3.85	0.00	(0.00, 4.01)	
	West Anaheim Medical Center	42	38	2	5.26	3.90	2.99	(0.36, 10.83)	
	Western Medical Center - Santa Ana	76	59	1	1.69	2.92	1.29	(0.03, 7.17)	
	Western Medical Center Hospital - Anaheim	98	89	5	5.62	2.65	4.69	(1.53, 10.96)	
Greater San Diego	Alvarado Hospital Medical Center	77	65	3	4.62	2.56	4.00	(0.83, 11.71)	
	Palomar Medical Center	100	76	1	1.32	1.44	2.03	(0.05, 11.33)	

^{*}A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (2.22). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2006

Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Risk- Adjusted Mortality Rate (%, RAMR)	95% CI for RAMR	Performance Rating*
State of California		19,914	15,647	347	2.22				
	Scripps Green Hospital	130	96	0	0.00	2.17	0.00	(0.00, 3.93)	
	Scripps Memorial Hospital - La Jolla	400	303	6	1.98	3.60	1.22	(0.45, 2.66)	
	Scripps Mercy Hospital	152	124	6	4.84	2.81	3.81	(1.40, 8.31)	
	Sharp Chula Vista Medical Center	199	155	3	1.94	2.99	1.43	(0.30, 4.20)	
	Sharp Grossmont Hospital	145	117	2	1.71	3.64	1.04	(0.13, 3.76)	
	Sharp Memorial Hospital	232	132	1	0.76	1.66	1.01	(0.03, 5.65)	
	Tri-City Medical Center**	110	87	6	6.90	1.93	7.91	(2.91, 17.24)	Worse
	UCSD Medical Center	45	39	1	2.56	1.73	3.28	(0.08, 18.29)	
	UCSD Medical Center - La Jolla, John M. & Sally B. Thornton Hospital	84	49	0	0.00	1.85	0.00	(0.00, 9.01)	

^{*}A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (2.22). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

^{**} Appendix A includes this hospital's statement regarding the report.